


## 9351012 KIT LEVA PER VALVOLE ISO 5211



LEVA CON FERMO per TUTTE le valvole predisposte per attuatore ISO 5211

Materiale leva: Aisi 304L (1.4307)

Materiale impugnatura: DUROPLAST (PF)



DN VALVOLA A 2 VIE	DN VALVOLA A 3 VIE	Ø B	ISO 5211 x □	L	H	kg	CODICE
10 - 15 - 20	10 - 15	24	F03-6	130	27,5	0,10	9351012 4220
10 - 15 - 20	10 - 15	24	F04-6	130	27,5	0,10	9351012 4230
-	-	24	F03-9	130	27	0,07	9351012 4240
-	-	24	F04-9	130	27	0,07	9351012 4250
25 - 32	20 - 25	28	F04-9	180	39	0,17	9351012 4260
25 - 32	20 - 25	28	F05-9	180	39	0,17	9351012 4270
-	-	28	F04-11	180	43	0,17	9351012 4280
-	-	28	F05-11	180	43	0,17	9351012 4290
40 - 50	32 - 40	35	F05-14	240	47	0,38	9351012 4380
40 - 50	32 - 40	35	F07-14	240	47	0,38	9351012 4390
65	50	40	F07-17	268	54	0,57	9351012 4480
65	50	40	F10-17	268	54	0,57	9351012 4490
80	65	40	F07-17	298	54	0,68	9351012 4500
80	65	40	F10-17	298	54	0,68	9351012 4510
100	80 - 100	45	F07-17	325	61	0,72	9351012 4540
100	80 - 100	45	F10-17	325	61	0,80	9351012 4550



