

766009 AUSSENGEWINDE/AUSSENGEWINDE ISO 228 REDUZIERTER NIPPEL




Reduzierter Aussengewinde/Aussengewinde ISO 228 Nippel

Material: Aisi 316L (1.4404)

Auf Anfrage:

M.O.C.A. CE 1935/2004



ISO 228	P	N	Ch.	L	Kg	CODE AISI 316L
1/4" x 1/8"	10	8	14	24	0,012	766009 60500
3/8" x 1/4"	10	10	17	27	0,024	766009 61000
1/2" x 1/4"	12	10	22	32	0,042	766009 61400
1/2" x 3/8"	12	10	22	32	0,045	766009 61500
3/4" x 3/8"	14	10	27	36	0,072	766009 62000
3/4" x 1/2"	14	12	27	38	0,074	766009 62100
1" x 1/4"	16	10	36	40	1,139	766009 62700
1" x 1/2"	16	12	36	42	0,147	766009 62900
1" x 3/4"	16	14	36	44	0,150	766009 63000
1"1/4 x 1"	21	19	46	54	0,321	766009 64000
2" x 3/4"	22	17	61	54	0,520	766009 65700
2" x 1"	22	19	61	56	0,520	766009 66300
2"1/2 x 2"	25	22	80	67	0,920	766009 67000
3" x 2"	25	22	90	67	1,004	766009 67500
3" x 2"1/2	25	25	90	70	0,940	766009 67900
4" x 3"	25	25	115	70	1,69	766009 69000

