

766095 ISO 7 TAPARED THREAD X ISO 228 CYLINDRICAL THREAD OGIVE REDUCTION



ISO 7 TAPARED THREAD x ISO 228 CYLINDRICAL THREAD OGIVE Reduction
Material: Aisi 316L (1.4404)

On request:
M.O.C.A. CE 1935/2004



ISO 7 x ISO 228	M	N	Ch	L	Kg	CODE AISI 316L
1/4" x 1/8"	8	11	17	25	0.021	766095 60500
3/8" x 1/8"	8	13	17	28	0.031	766095 61300
3/8" x 1/4"	11	13	19	31	0.032	766095 61500
1/2" x 1/4"	11	15	22	34	0.050	766095 61800
1/2" x 3/8"	13	15	22	36	0.056	766095 62000
3/4" x 1/4"	11	17	27	38	0.08	766095 63100
3/4" x 3/8"	13	17	27	40	0.091	766095 63300
3/4" x 1/2"	15	17	27	42	0.098	766095 63500
1" x 1/2"	15	19	36	46	0.160	766095 64200
1" x 3/4"	17	19	36	48	0.165	766095 64500
1"1/4 x 3/4"	17	21	46	50	0.250	766095 65800
1"1/4 x 1"	19	21	46	52	0.268	766095 66000
1"1/2 x 1"	19	22	50	55	0.360	766095 66400
1"1/2 x 1"1/4	21	22	50	57	0.365	766095 67000
2" x 1"1/4	21	25	65	62	0.630	766095 67500
2" x 1"1/2	22	25	65	63	0.680	766095 68000
2"1/2 x 2"	25	30	80	74	1.0	766095 68500

