


## 763100 PORTAGOMMA OGIVA CON DADO FILETTATO FEMMINA ISO 228 PER TUBO PTFE



Portagomma OGIVA con dado filettato Femmina ISO 228 per tubo PTFE  
Materiale: AISI 316L (1.4404)

A richiesta:  
M.O.C.A. CE 1935/2004



---

| ISO 228 | Ø A       | Ø B  | L  | Ch | Kg    | CODICE AISI 316L |
|---------|-----------|------|----|----|-------|------------------|
| 1/8"    | 5         | 7    | 41 | 14 | 0,02  | 763100 60200     |
| 1/4"    | 6,7       | 8,5  | 44 | 19 | 0,034 | 763100 60300     |
| 1/4"    | 8 (5/16") | 9,5  | 44 | 19 | 0,035 | 763100 60500     |
| 3/8"    | 9,8       | 11,5 | 46 | 22 | 0,05  | 763100 60700     |
| 1/2"    | 9,8       | 11,5 | 48 | 27 | 0,079 | 763100 60900     |
| 1/2"    | 13,2      | 16   | 48 | 27 | 0,083 | 763100 61100     |
| 3/4"    | 13,2      | 16   | 52 | 32 | 0,118 | 763100 61500     |
| 3/4"    | 16        | 21,5 | 53 | 32 | 0,11  | 763100 61600     |
| 3/4"    | 19,6      | 21,5 | 53 | 32 | 0,1   | 763100 61700     |
| 1"      | 26        | 28   | 61 | 41 | 0,24  | 763100 62300     |



